LITTLE ANT®

LITTLE ANT

HUBEI LITTLE ANT DIAMOND TOOLS CO.,LTD.

Factory Address: Economic Industrial Zone,
Huangmei County,Huanggang City,Hubei Province, China
Tel: 0086-0713-3200976
Office Address: Floor 19,Xunnan Business Center,
Xunnan Road,Jiujiang City,Jiangxi Province,China
Tel: 0086-0792-8135699
Email: info@little-ant.cn
Web: www.littleanttools.com
www.littleant-tools.com
www.little-ant.cn

LITTLE ANT DIAMOND TOOLS



ABOUT LITTLE ANT

Diamond Tools

Hubei Little Ant Diamond Tools Co.,Ltd.
Our mission is to make stone polishing and cutting easier, thus to help customers save production cost. It is our original goal to keep developing the new products and technique to provide better service for the end-users in this field.

Saw Blade

Jiangxi Little Ant Industry Co.,Ltd.
Our mission is to offer full series of cutting, drilling and grinding for stone, concrete, wood and ceramic, making the work easier and happier.


Hardware & Machinery

Little Ant Home Industry (Shanghai) Co.,Ltd.
Produce and sell Hardware, Electric machine, Hand machine, and so on, make you get various of tools here.





LITTLE ANT PROFILE







Founded in 2002, Hubei Little Ant Diamond Tools Co., Ltd. is a company specializing in the production of diamond tools, located in Huanggang City of Hubei Province, one of the biggest diamond tools processing centers in China.

The factory covers an area of modern standard factory, workshops, office building and warehousing center, now the total area is more than 90,000 square meters. In this big family, there are more than 500 experienced and devoted employees, engaged in research, development, production, sales and after-sales service. Nowadays, Little Ant is now one of the biggest manufacturers of diamond tools for stone processing, providing products for polishing, cutting, grinding, and drilling. Keep developing the new products, Little Ant is always the leader of diamond tools in China, especially the polishing pad.

Little Ant products are not only friendly to the distributor, but also to end-users, matching with most of the current machines, like HTC, Klindex, Husqvarna, not only with consistent good performance, but also with reasonable cost, which helps thousands of clients to solve the problems of stones all over the world, and maintain a win-win cooperation with Little Ant..

As Little Ant grows stronger and stronger, we find the other two branches develop concrete products and repeat tests before being sent to market to ensure the best quality and price.

Now Little Ant offers all series products of stone & concrete for all clients and solves more problems for more persons. We wish to create a brilliant future with our customers hand in hand.

CONTENT


LITTLE ANT	About Little Ant	01-02
	Dry Polishing Pad	04-05
	Wet Polishing Pad	06-09
	Resin & Metal & Sponge Polishing Pad	10-16
	Diamond Cup Wheel	17-20
	Metal Grinding Plate	21-24
	Diamond Saw Blade	25-32
	T.C.T. Saw Blade	33
	Core Drill Bit	34
	Backer pad	35
	Diamond Powder	36
	Diamond Segment & Wire Saw	37-38

Product Category >>>

Dry Polishing Pad


Product Description

1-Dry use, adapt to various working conditions
2-Mainly used to polish and buff for edge, inner arc and surface of granite, marble etc;
3-Long life span, high sharpness and good polishing quality, without color faded




Honeycomb dry polishing pad

Model	Description	Diameter (inch/mm)	Grit
DPL3-HD	Hexagon dry polishing pad	3"/80mm	50# 100# 200# 400# 800# 1500# 3000# BUFF
DPL4-HD		4"/100mm	
DPL5-HD		5"/125mm	
DPL6-HD		6"/150mm	
DPL7-HD		7"/180mm	
5DPL4-HDA	5-step dry polishing pad	4"/100mm	1# 2# 3# 4# 5#
3DPL4-HDA	3-step dry polishing pad	4"/100mm	1# 2# 3#



Triangle dry polishing pad

Model	Description	Diameter (inch/mm)	Grit
DPS3-TD	Triangle dry polishing pad	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#
DPS4-TD		4"/100mm	
DPS5-TD		5"/125mm	
5DPS4-TDB	5-step dry polishing pad	4"/100mm	1# 2# 3# 4# 5#



Pressed dry polishing pad


Model	Description	Diameter (inch/mm)	Grit
DPL3-PDP	Pressed dry polishing pad	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#
DPL4-PDP		4"/100mm	

Product Category >>>

Super Dry Polishing Pad


Product Description

1-Dry use, adapt to various working conditions
2-Mainly used to polish and buff for edge, inner arc,and flat surface of granite, marble etc;
3-Long life span, high sharpness and better performance than normal types, without color faded




Club dry polishing pad

Model	Diameter (inch/mm)	Grit	Application
DPM3-PSD	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
DPM4-PSD	4"/100mm		




Square dry polishing pad

Model	Diameter (inch/mm)	Grit	Application
DPF3-SD	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
DPF4-SD	4"/100mm		



Drip dry polishing pad

Model	Diameter (inch/mm)	Grit	Application
DPW3-WD	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
DPW4-WD	4"/100mm		



5-step dry polishing pad


Model	Diameter (inch/mm)	Grit	Application
5FP4-SD	4"/100mm	Coarse,A1,A2, A3,Hi gloss	Floor Polishing Pad

Product Category >>>

Wet polishing Pad


Product Description

1-Wet use,less dust
2-Mainly used to polish and buff for edge, inner arc,and flat surface of granite, marble, quartz etc;
3-Long life span, high sharpness and good polishing result, without color faded




Spiral wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP3-LX	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
WP4-LX	4"/100mm		
WP7-LX	7"/180mm		



Super flexible pad

Model	Diameter (inch/mm)	Grit	Usage
SWP4-SJ	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	wet
SHP4-SJ	4"/100mm		hybrid



Product Category >>>


Wet Polishing Pad

Product Description

1-Wet use, adapt to various working conditions


2-Mainly used to polish and buff for edge, inner arc, and flat surface of granite, marble etc;

3-Long life span, high sharpness and better performance than normal types, without color faded



Square wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP3-SJ1W	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
WP4-SJ1W	4"/100mm		
WP5-SJ1W	5"/125mm		
WP6-SJ1W	6"/150mm		
WP8-SJ1W	8"200mm		




Spiral wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP3-LXW	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher
WP4-LXW	4"/100mm		
WP7-LXW	7"/180mm		



Square buff polishing pad

Model	Diameter (inch/mm)	Grit	Application
buff	3"/80mm	white buff / black buff	Air Polisher, Electric polisher
buff	4"/100mm		




Hexagon polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP4-LB	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher




Honeycomb polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP4-LBN	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher



Spot mould polishing pad

Model	Diameter (inch/mm)	Grit	Application
WP4-SMP	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher



Rhomb spot polishing pad


Model	Diameter (inch/mm)	Grit	Application
WP4-RSP	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	Air Polisher, Electric polisher

Product Category >>>

N-step Polishing Pad


Product Description

1-Wet use, less dust
2-Mainly used to polish and buff for edge, inner arc, and flat surface of granite, marble, quartz etc;
3-Long life span, high sharpness and good polishing result, without color faded
4-Simple work, higher efficiency




3-step wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
3WP4-SF	4"/100mm	1# 2# 3#(4#)	Air Polisher, Electric polisher



3-step wet polishing pad

Model	Diameter (inch/mm)	Grit	Application
3WP4-ST	4"/100mm	1# 2# 3#	Air Polisher, Electric polisher



4-step hybrid polishing pad

Model	Diameter (inch/mm)	Grit	Application
3WP4-BL	4"/100mm	1# 2# 3# 4#	Air Polisher, Electric polisher

Product Category >>>

Resin Floor Polishing Pad

Product Description

1-Wet use,less dust, match with heavy-duty polishing machine
2-Mainly used to polish flat surface of granite, marble,concrete etc;
3-Long life span, high sharpness and good polishing result, without color faded



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-LC	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	dry/wet use
FP4-LC	4"/100mm		



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-BC	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	dry/wet use
FP4-BC	4"/100mm		



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-EC	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	dry/wet use
FP4-EC	4"/100mm		



Resin Floor Polishing Pad

Model	Diameter (inch/mm)	Grit	Use type
FPNA-T9TD	100x90/75mm	50# 100# 200# 400# 800# 1500# 3000#	wet use




Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-FX	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	dry/wet use
FP4-FX	4"/100mm		




Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP4-HX	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	wet use



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP5-LX	5"/125mm	50# 100# 200# 400# 800# 1500# 3000#	wet use
FP5.5-LX	5.5"/140mm		
FP7-LX	7"/180mm		



Resin floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP8-ZC	8"/200mm	50# 100# 200# 400# 800# 1500# 3000#	wet use
FP9-ZC	9"/230mm		

Resin floor polishing pad

Product Description

1-Wet use,less dust, match with heavy-duty polishing machine
2-Mainly used to polish flat surface of granite, marble,concrete etc;
3-Long life span, high sharpness and good polishing result, without color faded



Model	Diameter (inch/mm)	Grit	Usage
FP10-LX	10"/250mm	50# 100# 200# 400# 1500# 3000#	wet use
FP12-ZC	12"/300mm		
FP13-ZC	13"/320mm		
FP14-ZC	14"/350mm		
FP16-ZC	16"/400mm		





Abrasive wheel for edging

Product Description

1-Used to do coarse, medium fine grinding and polishing on automatic machine
2-Wet use for edging of stone

Model	Diameter (inch/mm)	Grit	Usage
FP4-LXB	4"/100mm	50# 100# 200# 400# 800# 1500# 3000#	wet use
FP5-LXB	5"/125mm		
FP6-LXB	6"/150mm		

Product Category >>>

Hand & Sponge Polishing Pad


Product Description

1-Both dry & wet use, simple work
2-Long life span, high sharpness with good polishing performance




Diamond hand pad

Model	Size (mm)	Work surface	Grit	Application
DHP-1	95x60x30	electroplated	50# 100# 200# 400#	glass marble granite ceramic
DHP-2		resin	800# 1500# 3000#	



Sponge polishing pad for stone

Model	Diameter (inch/mm)	Thickness	Grit
SPP80	3"/80mm	12mm	150# 300# 500# 1000# 2000# 3000# 6000# 10000#
SPP100	4"/100mm		
SPP125	5"/125mm		
SPP150	6"/150mm		
SPP180	7"/180mm		
SPP200	8"/200mm		
SPP230	9"/230mm		
SPP250	10"/250mm		
SPP300	12"/300mm		
SPP350	14"/350mm		
SPP400	16"/400mm		
SPP430	17"/430mm		



Diamond antique brush

Model	Size (mm)	resin	Grit	Application
DAB-1	4"/100mm 5"/125mm	round	50# 100# 200# 400#	glass marble granite ceramic
DAB-2	95x60x30	frankfurt	800# 1500# 3000#	

Product Category >>>

Polishing Pad For Concrete

Product Description

1-Both dry & wet use, simple work, match with heavy-duty polishing machine
2-Long life span, high sharpness with good polishing performance




Spiral floor polishing pad

Model	Diameter (inch/mm)	Thickness (mm)	Grit	Use type
CF1-T4	4"/100mm	4	50# 100# 200# 400# 800# 1500# 3000#	dry & wet use
CF1-T6		6		



Drip floor polishing pad

Model	Diameter (inch/mm)	Thickness (mm)	Grit	Use type
CF2-T6	4"/100mm	4	50# 100# 200# 400# 800# 1500# 3000#	dry & wet use



Square floor polishing pad

Model	Diameter (inch/mm)	Thickness (mm)	Grit	Use type
CF3-T6	4"/100mm	6	50# 100# 200# 400# 800# 1500# 3000#	dry & wet use
CF3-T8		8		

Product Category >>>

Concrete Floor Polishing Pad

Product Description

1- Both dry&wet use, adapt to various working conditions
2- Mainly used to polish flat surface of concrete etc;
3- Long life span, high sharpness and higher efficiency



Square floor polishing pad

Model	Diameter (inch/mm)	Thickness (mm)	Grit	Use type
CF4-T8	4"/100mm	8	50# 100# 200# 400# 800# 1500# 3000#	dry & wet use



Concrete floor polishing pad

Model	Diameter (inch/mm)	Grit	Thickness (mm)
CF5-T12	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	12mm
CF5-T11	4"/100mm		11mm



Concrete floor polishing pad

Model	Diameter (inch/mm)	Grit	Thickness (mm)
CF6-T12	3"/80mm	50# 100# 200# 400# 800# 1500# 3000#	12mm

Product Category >>>

Resin & Metal Polishing Pad

Product Description

1- Both dry &wet use, less dust, match with heavy-duty polishing machine
2- Used for coarse grinding stone, concrete
3- High sharpness and efficiency with good polishing performance



Resin & metal floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP3-WD8	3"/80mm	30# 50# 100# 150# 300#	dry & wet use
FP4-WD8	4"/100mm		



Resin & metal floor polishing pad

Model	Diameter (inch/mm)	Grit	Use type
FP4-WD5	4"/100mm	30# 50# 100# 150# 300#	dry & wet use



Product Category >>>

Diamond Cup Wheel

Features:

1- Both dry &wet use, less dust, match with heavy-duty polishing machine
2- Used for coarse grinding stone, concrete
3- High sharpness and efficiency with good polishing performance



Turbo cup wheel

Model	Diameter (inch/mm)	Arbor	Application
DGW-C90	90mm	Φ20/22.23mm 5/8"-11 M14	stone concrete
DGW-B4/R4	4"/100mm		
DGW-115	4.5"/115mm		
DGW-125	5"/125mm		
DGW-180	7"/180mm		



Aluminum cup wheel

Model	Diameter (inch/mm)	Arbor	Application
ACGW-100	4"/100mm	Φ20/22.23mm 5/8"-11 M14	stone concrete
ACGW-125	5"/125mm		
ACGW-150	6"/150mm		
ACGW-180	7"/180mm		



Double row cup wheel

Model	Diameter (inch/mm)	Arbor	Application
DRW-115	4.5"/115mm	Φ20/22.23mm 5/8"-11 M14	stone concrete
DRW-125	5"/125mm		
DRW-180	7"/180mm		



Resin filled cup wheel

Model	Diameter (inch/mm)	Arbor	Grit
RFW-100	4"/100mm	20/22.23mm	coarse / medium / fine



Double turbo cup wheel

Model	Diameter (inch/mm)	Arbor	Use type
DTW-100	4"/100mm	20/22.23mm	dry & wet use



Corss teeth cup wheel

Model	Diameter (inch/mm)	Arbor	Use type
DCW-100	4"/100mm	20/22.23mm	dry & wet use



Double bowl cup wheel

Model	Diameter (inch/mm)	Arbor	Application
DBW-100	4"/100mm	Φ20/22.23mm 5/8"-11 M14	stone concrete
DBW-125	5"/125mm		

Product Category >>>

Diamond Grinding & Edging Wheel


Features:

1--Mainly be used for grinding the surface or edge of stone
2--Long life span, higher sharpness with good polishing performance



Resin filled cup wheel

Model	Diameter (inch/mm)	Arbor	Grit
RFW-100	4"/100mm	20/22.23mm	coarse / medium / fine



Silicon carbide grinding wheel

Model	Specification (mm)	Specification	Application
SCG-01	100x50x5/8"-11	36# 60# 80# 120# 200#	stone / steel



Diamond beveling grinding bit

Model	Specification (mm)	Specification	Application
DBB-01	50x46	M14, 5/8"-11	trim hole



V-type grinding wheel

Model	Specification (mm)	Specification	Application
EGW-V1	75x20x10/15/20/25/30	30# 50# 80# 100# 150#	stone edge



Parallel grinding wheel

Model	Specification (mm)	Specification	Application
EGW-P1	75x20x10/15/20/25/30	30# 50# 80# 100# 150#	stone edge



Roman columun grinding wheel

Model	Specification (mm)	Specification	Application
EGW-R1	75x20x10/15/20/25/30	30# 50# 80# 100# 150#	stone edge



Round grinding wheel

Model	Specification (mm)	Specification	Application
EGW-R2	75x20x10/15/20/25/30	30# 50# 80# 100# 150#	stone edge



45 hypoyenuse grinding wheel

Model	Specification (mm)	Specification	Application
EGW-H1	75x20x10/15/20/25/30	30# 50# 80# 100# 150#	stone edge



France side grinding wheel

Model	Specification (mm)	Specification	Application
EGW-F1	75x20x10/15/20/25/30	30# 50# 80# 100# 150#	stone edge

Product Category >>>

Metal Grinding Plate

Features:

Fast grinding, edge trimming, repairing and maintenance of stone and other similar matericao and it is used on angle grinder and pneumatic powder tools.



Metal grinding plate

Model	Diameter (inch/mm)	Grit	Use type
MGB-25	4"/100mm	16# 30# 50# 100# 220#	dry & wet use




Circular metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-15	100mm	30# 50# 80# 100# 150#	concrete floor coarse grinding granite,marble



Circular metal grinding plate

Model	Specification (mm)	Specification	Application
WMGB-40	100mm	30/36# 50/60# 100/120#	concrete floor coarse grinding granite,marble



PCD Metal grinding plate

Model	Diameter (inch/mm)	Grit	Use type
PCD-6T	4"/100mm	50# 100# 200#	dry & wet use

Product Category >>>

Circular Grinding Plate

Features:

1--Mainly be used for grinding the surface of concrete floor, wet & dry use, and also used for coarse grinding granite, marble
2--Long life span, higher sharpness with good polishing performance



Bar shape grinding plate

Model	Specification (mm)	Specification	Application
MGB-22	100mm	30/36# 50/60# 100/120#	concrete floor coarse grinding granite,marble



Arc shape grinding plate

Model	Specification (mm)	Specification	Application
MGB-21	100mm	30# 50# 80# 100# 150#	concrete floor coarse grinding granite,marble



Arrow shape grinding plate

Model	Specification (mm)	Specification	Application
MGB-23	100mm	30# 50# 80# 100# 150#	concrete floor coarse grinding granite,marble



Spot shape grinding plate

Model	Specification (mm)	Specification	Application
MGB-47	100mm	30# 50# 80# 100# 150#	concrete floor coarse grinding granite,marble

Product Category >>>

Trapezoid Metal Grinding Plate

Features:

1--Mainly be used for grinding the surface of concrete floor, wet & dry use, and also used for coarse grinding granite, marble
2--Long life span, higher sharpness with good polishing performance



PCD grinding plate

Model	Specification (mm)	Specification	Application
MGB-43	76x50x50x50	PCD	




Metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-42		30# 50# 80# 100# 150#	Husqvarna



Sector folding grinding plate

Model	Specification (mm)	Specification	Application
MGB-02	75/65x53x27	30# 50# 80# 100# 150#	HTC



Trapezoid metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-14	75/50x55x19	30# 50# 80# 100# 150#	Xingyi



Spot metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-10	75/50x55x16	30# 50# 80# 100# 150#	



Arrow metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-41	75/50x55x16	30# 50# 80# 100# 150#	



Slot metal grinding plate

Model	Specification (mm)	Specification	Application
MGB-45	12x10x45	30# 50# 80# 100# 150#	HTC



5-segmented grinding plate

Model	Specification (mm)	Specification	Application
MGB-40	100/50x55x22	16# 24# 36# 50# 100#	



7-segmented grinding plate

Model	Specification (mm)	Specification	Application
MGB-44	125/75x75x24	16# 24# 36# 50# 100#	

Product Category >>>

Diamond Saw Blade

Features:

1-Widely used for cutting and nondestructive grooving on granite, stone on manual cutting machine
2-Suitable for dry/wet cutting



Diamond dry cutting saw blade

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SDB-115	4.5"	Φ115x12x1.8/2.0	20/22.23	granite stone
SDB-125	5"	Φ125x8x2.0	22.23	
SDB-150	6"	Φ150x8x2.2		
SDB-180	7"	Φ180x12x2.2		
SDB-190	7.5"	Φ190x13x2.2	25.4	
SDB-230	9"	Φ230x15x2.4		
SDB-250	10"	Φ250x10x2.6		

Diamond turbo saw blade



Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
STB-115	4.5"	Φ115x10x2.0	20/22.23	granite
STB-125	5"	Φ125x8x2.0	22.23	
STB-150	6"	Φ150x8x2.2		
STB-180	7"	Φ180x12x2.4		
STB-200	7.5"	Φ190x13x2.4		
STB-230	9"	Φ230x15x2.6		
STB-250	10"	Φ250x15x2.8		



Triangle teeth saw blade

Features:

1-Protection segment designed provides more effective of body and teeth
2-Widely used in cutting granite, stone on manual cutting machine
3-Suitable for dry/wet cutting

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
PTB-115S	4.5"	Φ115x8x2.0	20/22.23	granite
PTB-125S	5"	Φ125x8x2.2	Flange M14 5/8"-11 22.23	
PTB-150S	6"	Φ150x8x2.2		
PTB-180S	7"	Φ180x8x2.4		
PTB-230S	9"	Φ230x8x2.6		
PTB-250S	10"	Φ250x8x2.8	25.4	



T-segmented saw blade

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
CBT-115	4.5"	Φ115x8x2.2/4.0	20/22.23	granite
CBT-125	5"	Φ125X8x2.4/4.0	22.23	
CBT-180	7"	Φ180x8x2.6/4.0	22.23	



Y-segmented concave saw blade

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
CBY-115	4.5"	Φ115x8x2.2/4.0	20/22.23	granite
CBY-125	5"	Φ125X8x2.4/4.0	22.23	
CBY-180	7"	Φ180x8x2.6/4.0	22.23	

Diamond saw blade for concrete




Features:

1-Widely used for cutting concrete, old or new road, on manual cutting machine

2-Suitable for quick dry and wet cutting, with a certain heat dissipation, and chipping removal capacity

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SDBC-115	4.5"	Φ115x10x1.2	20/22.23	concrete
SDBC-125	5"	Φ125X10X1.4	22.23	
SDBC-150	6"	Φ150x10x1.6	22.23	
SDBC-180	7"	Φ180x10x1.8	22.23	
SDBC-190	7.5"	Φ190x10x1.8	22.23	
SDBC-230	9"	Φ230x10x2.0	22.23	
SDBC-250	10"	Φ250x10x2.2	25.4/50	
SDBC-300	12"	Φ300X10X2.2	25.4/50	
SDBC-350	14"	Φ350X10X2.4	25.4/50	

Crown teeth saw blade



Features:

1-Widely used in cutting for granite, stone, concrete etc

2-Suitable for dry/ wet cutting

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SCB-115	4.5"	Φ115x3X1.4	22.23	granite
SCB-180	7"	Φ180X3X1.6		
SCB-230	9"	Φ230x3x1.8		



Saw blade for ceramic

Features:

1-Widely used for cutting and nondestructive grooving on marble, ceramic tile, on manual cutting machine

2-Suitable for quick dry cutting, with a certain heat dissipation, and chipping removal capacity

Model No.	Specification		Arbor (mm)	Application
	Inches	Diameter(mm)		
SBC-75	3"	75x8x1.2	20	ceramic /porcelain /marble
SBC-105	4"	105x10x1.2		
SBC-115	4.5"	115x10x1.2	22.23	
SBC-125	5"	125x10x1.4		
SBC-150	6"	150x10x1.6		
SBC-180	7"	180x10x1.8		
SBC-200	8"	200x10x1.8		
SBC-230	9"	230x10x2.0		



X-type turbo saw blade

Features:


1-Widely used for cutting and nondestructive grooving on marble, ceramic tile,on manual cutting machine

2-Suitable for quick dry cutting, with a certain heat dissipation, and chipping removal capacity

3-With self-flange, to keep cutting balanced and smooth

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
STB-115X	4.5"	Φ115x10x1.2	20/22.23	marble /ceramic /porcelain
STB-125X	5"	Φ125X10X1.4	22.23	
STB-150X	6"	Φ150x10x1.6		
STB-180X	7"	Φ180x10x1.8		
STB-200X	8"	Φ190x10x1.8		
STB-230X	9"	Φ230x10x2.0		
STB-250X	10"	Φ250x10x2.2	25.4/50	
STB-300X	12"	Φ300X10X2.2		
STB-350X	14"	Φ350X10X2.4		

X-turbo cutting & grinding blade



Features:

1-Widely used for cutting and nondestructive grooving on marble, ceramic tile,on manual cutting machine
2-Sharper, with better result
3-Suitable for dry/wet cutting

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SWB-105X	4"	Φ105x10/20X1.9	20 22.23	ceramic tile porcelain
SWB-115X	4.5"	Φ115X10/20X1.9		
SWB-125X	5"	Φ125x10/20x1.9		

Hexagonal double sided blade



Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SHB-115	4"	Φ115x25X1.7	20 22.23	ceramic tile porcelain
SHB-125	4.5"	Φ125X25X1.7		

Scale cutting & grinding blade



Features:

1-Fine balancing, sharp & abrasion resistant
2-Good cutting results with smooth surface, small edge collapse probability.

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SCD-115	4"	Φ115x25X1.7	20 22.23	ceramic tile porcelain
SCD-125	4.5"	Φ125X25X1.7		

Glass cutting disc



Features:

1-Fine balancing, sharp & abrasion resistant
2-Good cutting results with smooth surface, small edge collapse probability.

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SGD-100	4"	Φ100x3X1.4	20 / 22.23	glass

Saw blade cutting & grinding disc



Features:


1-Widely used for cutting and nondestructive grooving on granite.
2-Suitable for quick cutting, with a certain heat dissipation, and chipping removal capacity .

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SEB-115	4.5"	Φ115x10/25X1.4	22.23 M14 5/8"-11	granite
SEB-125	5"	125x10/20x1.4		
SEB-180	7"	Φ180X10/25X2.6		
SEB-230	9"	Φ230x10/25x2.8		

Saw blade cutting & grinding disc



Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SCG-75	3"	Φ75x2.0	22.23 M14 5/8"-11	granite
SCG-110	4"	110x2.4		
SCG-115	4.5"	115x20x2.6		
SCG-125	5"	125x24x2.8		
SCH-150	6"	150x2.8		
SCG-180	7"	Φ180X3.0		
SCG-230	9"	Φ230x3.0		




Electroplated saw blade

Features:

1-Widely used for cutting and nondestructive grooving on marble, ceramic tile,on manual cutting machine
2-Sharper, with better result
3-Suitable for dry/wet cutting

Model No.	Specification		Arbor(mm)	Application
	Inches	Diameter x Height x Thickness		
SEB-115	4.5"	Φ115x3X1.4	22.23 M14 5/8"-11	marble /ceramic
SEB-125	5"	Φ125X3X1.4		
SEB-150	6"	Φ150x3x1.4		
SEB-180	7"	Φ180x3x1.6		
SEB-230	8"	Φ190x3x1.8		



Diamond wet saw blade

Model	Size(mm)	Bore	Cut	Use type
SWB-114	Φ114×12W×2.0T	20/22.23	granite /marble	wet
SWB-190	Φ190×13W×2.4T	25.4		



Saw blade for dekton

Features:

1-Fine balancing, sharp & abrasion resistant
2-Good cutting results with smooth surface, small edge collapse probability.

Model No.	Specification			Arbor (mm)	Shape
	Inches	Metric	Segment		
GM-350	14"	350	2.2x9	50/60	hook
GM-400	16"	400	2.9x8.5		flat
GM-400	16"	400	2.2x9		layer
GM-450	18"	450	2.9x8.5		hook




Saw blade for granite

Features:

1-Fine balancing, sharp & abrasion resistant
2-Good cutting results with smooth surface, small edge collapse probability.

Model No.	Specification		Arbor (mm)	Segment Size
	Inches	Metric		
GS-250	10"	250	50/60	40×3.0×15
GS-300	12"	300		40×3.2×15
GS-350	14"	350		40x3.2x12/15
GS-400	16"	400		40x3.6x12/15
GS-450	18"	450		40x4.2x12/14
GS-500	20"	500		40x4.2x12/14
GS-600	24"	600		40x4.8x14




Saw blade for marble

Features:

1-Widely used for cutting and nondestructive grooving on marble.
2-Fine balancing, sharp & abrasion resistant.
3-Suitable for quick cutting, with a certain heat dissipation, and chipping removal capacity .

Model No.	Specification		Arbor(mm)	Segment Size
	Inches	Metric		
GM-350	14"	350	50/60	40x3.0x8/10
GM-400	16"	400	50/60	40x3.2x8/10



Saw blade for concrete

Model No.	Specification		Arbor(mm)	Segment Size
	Inches	Metric		
GC-350	14"	350	50/60	28x3.4x16
GC-400	16"	400	50/60	28x3.6x16
GC-500	20"	500	50/60	28x4.0x16

Product Category >>>

T.C.T. Saw Blade



Wood T.C.T. Saw Blade

Model No.	Specification			Arbor (mm)	Application
	Inches	Diameter x Heigh	TEETH		
DB-W4	4"	Φ110x1.8W	18T 24T 30T 40T 60T 64T 72T 80T 100T 120T	20/22.23	wood
DB-W6	6"	Φ150×1.8W		20/22.23	
DB-W7	7"	Φ180×2.2W		25.4	
DB-W8	8"	Φ200×2.2W		25.4	
DB-W9	9"	Φ230×2.6W		25.4	
DB-W10	10"	Φ250×3.0W		25.4	
DB-W12	12"	Φ300×3.2W		30	
DB-W14	14"	Φ250×3.7W		25.4	
DB-W16	16"	Φ300×4.2W		30	



Aluminum T.C.T. Saw Blade

Model No.	Specification			Arbor (mm)	Application
	Inches	Diameter x Height	TEETH		
DB-A10	10"	Φ250×3.0W	80T 100T 120T 140T	25.4	Aluminium
DB-A12	12"	Φ300×3.2W		30	
DB-A14	14"	Φ350×3.7W		30	
DB-A16	16"	Φ400×3.7W		30	
DB-A18	18"	Φ450×4.2W		30	



Iron T.C.T. Saw Blade

Model No.	Specification		Arbor (mm)	Application
	Inches	Diameter x Height x Thickness		
DB-I1048/60/80	10"	Φ250×2.2W×48/60/80T	25.4	Iron

Product Category >>>

Core Drill Bit



Drill bit for granite

Model No.	Specification(mm)			Feature
	Diameter	Segment	Teeth	
DCB-25	Φ25	16/12x3x8	4	granite
DCB-28	Φ28			
DCB-30	Φ30			
DCB-32	Φ32	16x3x8	4	
DCB-35	Φ35			
DCB-38	Φ38	20x3x8	4	
DCB-40	Φ40	20x3x8	5	
DCB-45	Φ45			
DCB-50	Φ50	20x3x8	6	
DCB-70	Φ70			
DCB-76	Φ76	20x3x8	7	
DCB-90	Φ90			
DCB-100	Φ100			



Drill bit for marble/porcelain

Model No.	Specification(mm)		Arbor	Feature
	Diameter	Height		
MDB-TW6	Φ6	10	M14 5/8"-11	marble porcelain
MDB-TW8	Φ8			
MDB-TW10	Φ10			
MDB-TW12	Φ12			
MDB-TW14	Φ14			
MDB-TW16	Φ16			
MDB-TW18	Φ18			
MDB-TW20	Φ20			
MDB-TW25	Φ25			
MDB-TW30	Φ30			
MDB-TW35	Φ35			
MDB-TW40	Φ40			
MDB-TW45	Φ45			
MDB-TW50	Φ50			
MDB-TW60	Φ60			
MDB-TW65	Φ65			
MDB-TW70	Φ70			
MDB-TW75	Φ75			
MDB-TW80	Φ80			
MDB-TW85	Φ85			
MDB-TW90	Φ90			
MDB-TW100	Φ100			
MDB-TW110	Φ110			


Product Category >>>

Backer Pad

Features:

1- Special preparation for polishing stone to strengthen the brightness
2- Recover the gloss when it is loss
3- Get dry quickly to heighten efficiency
4- Used for polishing the surfaces, corners, edges

Backer pad



Model No.	Specification		Adaptor
	Inches	Diameter(mm)	
aluminium backer pad	3"	80	M14 or 5/8"-11
	4"	100	
	5"	125	
	6"	150	
	7"	180	



Model No.	Specification		Adaptor
	Inches	Diameter(mm)	
plastic backer pad	3"	80	M14 or 5/8"-11
	4"	100	
	5"	125	
	7"	180	



Model No.	Specification		Adaptor
	Inches	Diameter(mm)	
supersoft backer pad	3"	80	M14 or 5/8"-11
	4"	100	



Model No.	Specification		Adaptor
	Inches	Diameter(mm)	
rubber backer pad	3"	80	M14 or 5/8"-11
	4"	100	M14 or 5/8"-11
	5"	125	M14 or 5/8"-11
	7"	180	M14 or 5/8"-11

Product Category >>>


Diamond Powder

Features:

1-Most of the crystals are irregular equal volume, the crystal surface is wear-resistant and sharp, which can achieve ultra-high purity, and the impurity content is <0.02%

2- While maintaining a high cutting ability, it can achieve a high-precision polishing effect, which is not prone to scratches, and is especially suitable for work pieces with high hardness or composed of different hardness materials;

3-Mainly used for resin tool, ceramic bond, grinding wheel, saw blade, electroplated drill and other diamond tool products



Synthetic Diamond Powder

Model	WVD 10+	WVD 15+	WVD 20+	WVD 30+	WVD 40+	WVD 60+	WVD 80+	WVD 90+
Grit	30/35							
	35/40							
	40/45							
	45/50							
	50/60							
	60/70							
	70/80							
	80/100							

Micron Powder

Model	Grit														
WVD10-	30/35-80/100														
WVD10-1A	W50	W40	W28	W20	W14	W10	W7	W5	W3.5	W2.5	W1.5	W1	W0.5	100/120-140/170	170/200-500/600
WVD10-3A														50/60-400/500	
WVD20-A1														100/120-500/600	

Product Category >>>

Diamond Segment

Suitable for saw blade for cutting granite, marble, block , diamond grinding disc, drill bit.



















Product Category >>>

Diamond Wire Saw

It is one of the most advance cutting tools widely used for quarrying, block squaring & profiling and cutting for Granite, Marble, Sandstone & Reinforced Concrete, Asphalt, etc.









Model No.	Diameter(mm)	Fixed by	Beads/m	Cutting material
DWG115	11.5	Rubber / Rubber + Spring	40 37	Granite quarrying
DWG110	11.0			
DWG105	10.5			
DWM115	11.5	Rubber	40 37	Marble quarrying
DWM110	11.0			
DWM105	10.5			
DWC115	11.5	Rubber + Spring	40	Reinforced concrete
DWC110	11.0			
DWC105	10.5			